



## BETAETIGER AZM 161-B1E

- Straight actuator
- Particularly suitable for sliding doors

### Data

#### Ordering data

|                               |                        |
|-------------------------------|------------------------|
| Product type description      | BETAETIGER AZM 161-B1E |
| Article number (order number) | 101144416              |
| EAN (European Article Number) | 4030661283203          |
| eCl@ss number, Version 9.0    | 27-27-26-06            |
| eCl@ss number, Version 11.0   | 27-27-26-06            |
| ETIM number, version 7.0      | EC001487               |
| ETIM number, version 6.0      | EC001487               |

#### General data

|                          |                       |
|--------------------------|-----------------------|
| Material of the actuator | Stainless steel (V2A) |
| Gross weight             | 29.3 g                |

#### Mechanical data

|          |          |
|----------|----------|
| Actuator | straight |
|----------|----------|

#### Scope of delivery

|                                     |                    |
|-------------------------------------|--------------------|
| Delivery scope of Mounting material | Tamperproof screws |
|-------------------------------------|--------------------|

## Notes

|                |                                                                                                                                                                    |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Note (General) | Minimum actuating radius on hinged guards 160 mm<br>The axis of the hinge must be 5 mm above and in a parallel plane to the top surface of the solenoid interlock. |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Documents

### Operating instructions (supplementary sheet/quick guide)

AZM 161 Actuator (115.4 kB, 10.05.2019, Revision F)


## Pictures

### Product picture (catalogue individual photo)



ID: kazm1f43  
| 7.3 MB | .tif | 195.4 x 130.2 mm - 1954 x 1302 px - 254 dpi  
| 185.3 kB | .jpg | 352.778 x 235.303 mm - 1000 x 667 px - 72 dpi  
| 17.2 kB | .png | 74.083 x 49.389 mm - 210 x 140 px - 72 dpi

### Dimensional drawing miscellaneous



ID: 1azm1b21  
| 39.0 kB | .cdr |  
| 86.7 kB | .jpg | 352.778 x 245.886 mm - 1000 x 697 px - 72 dpi

### Actuating radius



ID: kazm1r01  
| 19.8 kB | .cdr |

### Actuating radius



ID: kazm1r22  
| 20.7 kB | .cdr |

Schmersal India Pvt. Ltd., Plot No - G-7/1, Ranjangaon MIDC, Tal. - Shirur, Dist.- Pune 412 220

The details and data referred to have been carefully checked. Images may diverge from original. Further technical data can be found in the manual. Technical amendments and errors possible.

Generated on: 11/01/2022, 5:45 am